Sanitized - Approved FORMULE VIAL P67R00587A00010008

17M-5.4

FFB 1964

MEMORANDUM FOR: Chief, Logistics Services Division/OL

ATTENTION:

Chief, Telephone Facilities Branch

SUBJECT:

Request for Installation of Telephone

1. It is requested that an unlisted Virginia telephone with one extension be installed in Room (GOs in the positions indicated on the attached diagram.

- This telephone is required by Chief, Air Defense Branch, Defensive Systems Division, to maintain appropriate relationships with various contractors is accordance with instructions from the Office of Security. Chief, Air Defense Branch is directly tovolved in monitoring several contracts which are providing support in areas of intelligence analysis and technical collection.
- 3. It is believed pertinent to note that, in the recent drive to cut telephone service costs by 3d percent, the Defensive Systems Division set this requirement after figuring in the added cost of the subject steplie felephone.

25X1A9a

25X1A9a

Executive Officer/Scientific Intelligence

5 FEB 1964 Chief, Administrative Staff, 100/Mir

Attachments: (As stated)

Distribution:

Orig & 1 - Addressee

1 - Telephone Facilities Branch

2 - 160/3I

2 - DSD/81 25X1A9a

1 - C/Acmin Staff/DD/SAT

2 - DD/SMT Registry

081/DED

mct/3231 (7 Feb 84)

25X1A9a

GROUP 1 Excluded from automatic downgrading and declassification

BEST COPY

AVAILABLE

